

Product Catalogue

Drill Driver

Model: HD450



Voltage/Frequency	220-240V~50/60Hz
Input power	450W
No load speed	0-750/min
Chuck size	10mm
Maximum torque	15Nm
Max. drilling capacity	Steel:10mm, Wood:20mm
PCS/CTN, G.W	10pcs/14.4kg
Measurement	50X36X24cm

Impact Drill

Model: ID750



Voltage/Frequency	220-240V~50/60Hz
Input power	750W
No load speed	0-2800/min
Chuck size	13mm
Max. drilling capacity	Steel:10mm, Concrete:13mm, Wood:25mm
PCS/CTN, G.W	6pcs/13.6kg
Measurement	46.5X28X29.5cm

Impact Drill

Model: ID850



Voltage/Frequency	220-240V~50/60Hz
Input power	850W
No load speed	0-2800/min
Chuck size	13mm
Max. drilling capacity	Steel:10mm, Concrete:13mm, Wood:25mm
PCS/CTN, G.W	10pcs/22kg
Measurement	56.5X38X26.5cm

Rotary Hammer

Model: RH850



Voltage/Frequency	220-240V~50/60Hz
Input power	850W
No load speed	0-1100/min
Impact rate	0-4800/min
Impact force	3.0J
Max. drilling capacity	Concrete:26mm
3 function	Rotation/hammer/rotation&hammer
SDS PLUS	
PCS/CTN, G.W	5pcs/29kg
Measurement	57X46X33.2cm

Angle Grinder

Model: AG950B



Voltage/Frequency	220-240V~50/60Hz
Input power	950W
No load speed	11000/min
Dia. of wheel	115/125mm
Spindle lock	Yes
2 position side handle	
PCS/CTN, G.W	6pcs/kg
Measurement	38X34X27cm

Angle Grinder

Model: AG2400



Voltage/Frequency	220-240V~50/60Hz
Input power	2400W
No load speed	6000/min
Dia. of wheel	230mm
Spindle lock	Yes
2 position side handle	
Soft start	
PCS/CTN, G.W	2pcs/14.2kg
Measurement	53.5X30X20cm

Jig Saw

Model: JS800



Voltage/Frequency	220-240V~50/60Hz
Input power	800W
No load speed	1500-3000/min
Max. cutting capacity	Steel:8mm, Wood:60mm
Bevel cutting capacity	±45°
PCS/CTN, G.W	6pcs/13.5kg
Measurement	43X26X29cm

Circular Saw

Model: CS1500



Voltage/Frequency	220-240V~50/60Hz
Input power	1500W
No load speed	4700/min
Blade diameter	Ø185mm
Max. 90° cutting depth	65mm
Max. 45° cutting depth	44mm
Supplied with parallelguide	
PCS/CTN, G.W	4pcs/19.3kg
Measurement	51.5X33.5X38.5cm

Electric Planer

Model: EP1020B



Voltage/Frequency	220-240V~50/60Hz
Input power	1020W
No load speed	13000/min
Planing width	90mm
Planing depth	0-2mm
Rabeting depth	0-9mm
PCS/CTN, G.W	4pcs/24.5kg
Measurement	40.5X40.5X55.5cm

Electric Router

Model: ER1800



Voltage/Frequency	220-240V~50/60Hz
Input power	1800W
No load speed	12000-23000/min
Collet capacity	8/12mm
Plunger stroke length	0-50mm
Base plate diameter	160mm
PCS/CTN, G.W	4pcs/25.5kg
Measurement	58X43X27cm

Palm Sander

Model: PS350



Voltage/Frequency	220-240V~50/60Hz
Input power	350W
No load speed	12000/min
Sanding pad size	110X100mm
Oscillation diameter	2mm
Dust extraction facility	
PCS/CTN, G.W	10pcs/16.5kg
Measurement	62.5X38X16.5cm

Finishing Sander

Model: FS180



Voltage/Frequency	220-240V~50/60Hz
Input power	180W
No load speed	12000/min
Sanding pad size	90X187mm
PCS/CTN, G.W	6pcs/9.29kg
Measurement	62X32.5X19cm

Electric Blower

Model: EB450



Voltage/Frequency	220-240V~50/60Hz
Input power	450W
No load speed	16000/min
Blow rate	2.5 ³ /min
PCS/CTN, G.W	8pcs/11.9kg
Measurement	46.5X38.5X38.5cm

Hot Air Gun

Model: HG2000



Voltage/Frequency	220-240V~50/60Hz
Input power	2000W
Temperature	400 C -600 C
Air flow	300 / 500L/min
PCS/CTN, G.W	10pcs/9.2kg
Measurement	40.5X26.5X53cm

Cordless Drill Driver – 20V

Model: CD20



Voltage	DC20V
No load speed	0-400/0-1500/min
Chuck size	10mm
Max torque	31Nm
Max capacity	Wood:Φ20mm, steel:Φ10mm
PCS/CTN, G.W	10pcs/11.5kg
Measurement	45X45X23cm

Cordless Impact Drill Driver Kit – 20V

Model: CD2100T



Voltage	DC20V
Chuck diameter	10mm
No load speed	0-350 & 0-1300/min
Torque setting	18+1
Maximum torque	30Nm
Charge time	1 hour
Battery capacity	2000mAh
PCS/CTN, G.W	5PCS / 15.1kg
Measurement	55X32X29cm

Cordless Impact Drill Driver – 20V

Model: BID20



Voltage	DC20V
No load speed	0-450/0-1500/min
Impact frequency	0-6750/0-22550/min
Chuck size	10mm
Max torque	40Nm
Max cut capacity	Concrete:Φ10mm, wood: Φ20mm, steel:Φ10mm
PCS/CTN, G.W	10pcs/10.5kg
Measurement	44X39X22cm

Cordless Impact Drill Driver Kit – 20V

Model: BID20B



Voltage	DC20V
No load speed	0-450/0-1750/min
Impact frequency	0-6750/0-26250/min
Chuck size	13mm
Max torque	80Nm
Max cut capacity	Concrete:Φ13mm, wood: Φ30mm, steel:Φ10mm
PCS/CTN, G.W	5PCS / 20kg
Measurement	52.5X43X35.5cm

Cordless SDS+ Rotary Hammer - 20V

Model: BRH20

BRUSHLESS MOTOR



Voltage	DC20V
No load speed	0-1400ml/min
Impact frequency	0-4500/min
Max drill capacity	Concrete: Ø22mm, wood: Ø30mm, steel: Ø13mm
Drill bits	SDS PLUS
PCS/CTN, G.W	5pcs/13kg
Measurement	48X37.5X30.5cm

Cordless Impact Wrench

Model: BIW20

BRUSHLESS MOTOR



Voltage	DC20V
No load speed	0-3000/2250/1800/min
Chuck size	1/2"
Max torque	320Nm
PCS/CTN, G.W	10pcs/15kg
Measurement	47X43X19cm

Cordless Angle Grinder - 20V

Model: BAG20B

BRUSHLESS MOTOR



Voltage	DC20V
No load speed	5000/min 6500/min 8500/min
Max capacity	125mm
PCS/CTN, G.W	5pcs/10kg
Measurement	59X36X12.5cm

Cordless Reciprocating Saw - 20V

Model: BRS20

BRUSHLESS MOTOR



Voltage	DC20V
No load speed	0-2000/min
Max cutting capacity	Wood: 115mm, Steel: 10mm
Stroke distance	23mm
PCS/CTN, G.W	5pcs/10.3kg
Measurement	42X39X20.5cm

Cordless Blower - 20V

Model: CB20



Voltage	DC20V
Air volume	2.8m³/min
Max air speed	55m/s
PCS/CTN, G.W	10pcs/14.5kg
Measurement	79.5X26.5X38cm

Cordless Spray Gun - 20V

Model: CSG20



Voltage	DC20V
Max output	1200ml/min
Max container capacity	1000ml
Nozzle	Ø1.8/2.5mm
PCS/CTN, G.W	3pcs /5.2kg
Measurement	42X31X32cm

Battery Pack

Model: BP20-2.0



Capacity	2.0A
PCS/CTN, G.W	20pcs/8.1kg
Measurement	41.5X25.5X13.5cm

Battery Pack

Model: BP40-4.0



Capacity	4.0A
PCS/CTN, G.W	20pcs/13.5kg
Measurement	41.5X25.5X17cm

Battery Charger

Model: BC20



Input	220-240VAC 65W
Output	21V 2.3A
PCS/CTN, G.W	20pcs/8.5kg
Measurement	41.5X35.5X22.5cm

Tool Carry Bag

Model: 20Vbag



PCS/CTN, G.W	20pcs/5.9kg
Measurement	50X28.5X19cm

Compound Mitre Saw

Model: MS1500

COMPOUND MITRE



Voltage/Frequency	220-240V~50/60Hz
Input power	1500W
No load speed	5000/min
Blade diameter	Ø255XØ25.4mmX40T
PCS/CTN, G.W	1pc/11.9kg
Measurement	57X42X40.5cm

Double Bevel Sliding Mitre Saw

Model: MS2000

LASER LED, TWO SPEED



Voltage/Frequency	220-240V~50/60Hz
Input power	2000W
No load speed	3200/4500/min
Blade diameter	Ø255XØ30mmX48T
PCS/CTN, G.W	1pc/16.8kg
Measurement	82X48X41cm

Bench Grinder

Model: BG150



Voltage/Frequency	220-240V~50/60Hz
Input power	250W
No load speed	2950/min
Wheel size	Ø150X16XØ12.7mm
Dust protection switch	
Full metal design	
Supplied with transparent cover & tool rest	
PCS/CTN, G.W	1pc/7kg
Measurement	34X20.5X24cm

IGBT Welding Machine

Model: WM250



DIGITAL DISPLAY

Voltage/Frequency	160-240V~ 50/60Hz
No load voltage	65V
Current range	20-250A
Rated duty (%)	250A 100%
Max. input current	36A
Suitable electrode	Ø1.6-Ø5.0mm
PCS/CTN, G.W	4pcs/16.7kg
Measurement	44X29X41cm

Air Compressor

Model: AC2415



Voltage/Frequency	220-240V~50/60Hz
Input power	1500W
No load speed	2850/min
Displacement	210 l/min
Tank capacity	24L
Working pressure	0.8MPa
PCS/CTN, G.W	1pc/18.3kg
Measurement	58.5X24.5X58cm

Air Compressor

Model: AC5015



Voltage/Frequency	220-240V~50/60Hz
Input power	1500W
No load speed	2850/min
Displacement	210 l/min
Tank capacity	50L
Working pressure	0.8MPa
PCS/CTN, G.W	1pc/25.2kg
Measurement	70X32X67cm

High Pressure Washer

Model: PW1700



Voltage/Frequency	220-240V~50/60Hz
Input power	1700W
Max pressure	100 bar
Max output flow	390 l/h
Water suction function	1±0.5m
High pressure hose	5m
PCS/CTN, G.W	1pc/6.5kg
Measurement	29X26.5X42.5cm

Socket Wrench Set

Model: SWS32



Specification	32 set
PCS/CTN, G.W	5pcs/22.25kg
Measurement	39X34X26cm

NewCo
Power Tools

Visit our website: www.poweractiontools.co.za
www.newcopowertools.co.za
Email: info@newcopowertools.co.za
For more info contact: 011 315 1504

Tools are not supplied with accessories, unless otherwise stated. Models shown are a representation only and not to scale. NewCo is not responsible for any printing errors. The specifications are subject to change without prior notice(E & OE). Ref. 202202

Dealer

Power Action tools are your smart choice.